

University of Groningen

Measuring MRI noise

Hoiting, Gerke Jan

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2005

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Hoiting, G. J. (2005). *Measuring MRI noise*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Appendix B

Mathematical derivations

B.1 Fourier transform of frequency sweep signal

The known Fourier transforms are:

$$\begin{aligned}\mathcal{F}\{\cos(\omega_0 t)\} &= \sqrt{\frac{\pi}{2}}(\delta(\omega - \omega_0) + \delta(\omega + \omega_0)) \\ \mathcal{F}\{\sin(\omega_0 t)\} &= \imath\sqrt{\frac{\pi}{2}}(\delta(\omega - \omega_0) - \delta(\omega + \omega_0))\end{aligned}\tag{B.1}$$

$$\begin{aligned}\mathcal{F}\{\cos(\beta t^2)\} &= \frac{1}{\sqrt{4\beta}}\left(\cos\left[\frac{\omega^2}{4\beta}\right] + \sin\left[\frac{\omega^2}{4\beta}\right]\right) \\ \mathcal{F}\{\sin(\beta t^2)\} &= \frac{1}{\sqrt{4\beta}}\left(\cos\left[\frac{\omega^2}{4\beta}\right] - \sin\left[\frac{\omega^2}{4\beta}\right]\right).\end{aligned}\tag{B.2}$$

Using the trigonometric expansion for formula 3.12 yields:

$$\begin{aligned}\mathcal{F}\{\cos((\omega_0 + \beta t)t)\} &= \\ \mathcal{F}\{\cos(\omega_0 t + \beta t^2)\} &= \\ \mathcal{F}\{\cos(\omega_0 t)\cos(\beta t^2) - \sin(\omega_0 t)\sin(\beta t^2)\} &= \\ \mathcal{F}\{\cos(\omega_0 t)\cos(\beta t^2)\} - \mathcal{F}\{\sin(\omega_0 t)\sin(\beta t^2)\} &= \\ \mathcal{F}\{\cos(\omega_0 t)\} * \mathcal{F}\{\cos(\beta t^2)\} - \mathcal{F}\{\sin(\omega_0 t)\} * \mathcal{F}\{\sin(\beta t^2)\}.\end{aligned}\tag{B.3}$$

Replacing the separate terms in equation B.3 with those from equations B.1 and B.2, and working out the convolutions, results in:

$$\begin{aligned}\mathcal{F}(\cos((\omega_0 + \beta t)t)) &= \\ \frac{1}{4\sqrt{\beta}}\left\{(1 - \imath)\cos\left(\frac{(\omega - \omega_0)^2}{4\beta}\right) + (1 + \imath)\sin\left(\frac{(\omega - \omega_0)^2}{4\beta}\right) + \right. \\ \left.(1 + \imath)\cos\left(\frac{(\omega + \omega_0)^2}{4\beta}\right) + (1 - \imath)\sin\left(\frac{(\omega + \omega_0)^2}{4\beta}\right)\right\}.\end{aligned}\tag{B.4}$$

Taking the Fourier transform of equation B.4 convolved with a rectangular window between $T_c - T$ and $T_c + T$ leads, according to Mathematica 5.0 (Wolfram Research, Inc.), to:

$$\begin{aligned}
 & \int_{T_c-T}^{T_c+T} \cos((\omega_c + \beta t)t) e^{-i\omega t} dt = \\
 & \frac{1}{\sqrt{\beta}} \left\{ \left(\frac{1}{4} + \frac{i}{4} \right) \sqrt{\frac{\pi}{2}} \left(i \cos \left[\frac{(\omega - \omega_c)^2}{4\beta} \right] + \sin \left[\frac{(\omega - \omega_c)^2}{4\beta} \right] \right) \times \right. \\
 & \left[\operatorname{erfi} \left[\frac{(\frac{1}{2} + \frac{i}{2})(2\beta(T_c - T) - (\omega - \omega_c))}{\sqrt{2\beta}} \right] - \right. \\
 & \left. \operatorname{erfi} \left[\frac{(\frac{1}{2} + \frac{i}{2})(2\beta(T_c + T) - (\omega - \omega_c))}{\sqrt{2\beta}} \right] \right] + \\
 & \left(\cos \left[\frac{\omega^2 + \omega_c^2}{2\beta} \right] + i \sin \left[\frac{\omega^2 + \omega_c^2}{2\beta} \right] \right) \times \\
 & \left(\operatorname{erf} \left[\frac{(\frac{1}{2} + \frac{i}{2})(2\beta(T_c - T) + (\omega + \omega_c))}{\sqrt{2\beta}} \right] - \right. \\
 & \left. \left. \operatorname{erf} \left[\frac{(\frac{1}{2} + \frac{i}{2})(2\beta(T_c + T) + (\omega + \omega_c))}{\sqrt{2\beta}} \right] \right) \right] \right\}, \tag{B.5}
 \end{aligned}$$

where ω_c is the frequency at T_c . This is graphically depicted in figure 4.2, panels A and B. The results of multiplying the time signal with a Kaiser-Bessel window are in panels C through F. These graphs are obtained with Digital Fourier Transforms in Matlab (The MathWorks, Inc.).

B.2 Noise cancellation

The addition of two sinusoidal signals in opposite phase may lead to cancellation. This principle is used in active noise cancellation (section 5.4.2). The remaining signal s is:

$$\begin{aligned}
 s &= a_1 \sin(\omega t) - (a_1 + \delta a) \sin(\omega t + \delta \phi) \\
 &= -(a_1 + \delta a) [\sin(\omega t) \cos(\delta \phi) + \cos(\omega t) \sin(\delta \phi)] + a_1 \sin(\omega t). \tag{B.6}
 \end{aligned}$$

With perfect phase matching ($\delta \phi = 0$), the remaining signal $s = -\delta a \sin(\omega t)$, and for perfect amplitude matching ($\delta a = 0$),

$$s = -a_1 [\sin(\omega t) \cos(\delta \phi) + \cos(\omega t) \sin(\delta \phi)] + a_1 \sin(\omega t). \tag{B.7}$$

This can be approximated by

$$s = -a_1 \delta \phi \cos(\omega t), \tag{B.8}$$

when $\delta \phi$ is small.